LE GOUVERNEMENT
DU GRAND-DUCHÉ DE LUXEMBOURG
Ministère de l'Environnement, du Climat
et du Développement durable

Annexe 2 : Liste des paramètres pesticides complémentaires à analyser dans l'eau dans le cadre du contrôle complet conformément au règlement grand-ducal modifié du 7 octobre 2002 relatif à la qualité des eaux destinées à la consommation humaine

Classe	Paramètre
Pesticide	AMPA
Pesticide	Atrazine
Pesticide	Atrazine-2-hydroxy
Pesticide	Atrazine-desethyl
Pesticide	Atrazine-desisopropyl
Pesticide	Bentazone
Pesticide	Chlorothalonil-M-R182281
Pesticide	Chlorothalonil-M-R417888
Pesticide	Chlorothalonil-M-R471811
Pesticide	Clothianidine
Pesticide	Dimethenamid
Pesticide	Dimethoate
Pesticide	Epoxiconazole
Pesticide	Fluazifop P
Pesticide	Flufenacet
Pesticide	Foramsulfuron
Pesticide	Glufosinate
Pesticide	Glyphosate
Pesticide	Haloxyfop
Pesticide	Haloxyfop-Methyl
Pesticide	Imidaclopride
Pesticide	Isoxaben
Pesticide	MCPA
Pesticide	Mecoprop-P

Classe	Paramètre
Pesticide	Metazachlor
Pesticide	Metazachlor ESA
Pesticide	Metazachlor OXA
Pesticide	Metolachlor
Pesticide	Metolachlor ESA
Pesticide	Metolachlor OXA
Pesticide	Metribuzin
Pesticide	Metsulfuron-methyl
Pesticide	N,N-Dimethylsulfamid
Pesticide	Nicosulfuron
Pesticide	Pethoxamid
Pesticide	Propyzamide
Pesticide	Quinmerac
Pesticide	Simazine
Pesticide	Tebuconazole
Pesticide	Terbuthylazine
Pesticide	Terbuthylazine Desethyl
Pesticide	Terbuthylazine-2-hydroxy
Pesticide	Terbuthylazine-desethyl-2-hydroxy
Pesticide	Tritosulfuron